

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6970978").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/15 13:50
S2	1	11/727451	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/15 13:55
S3	1	11/437343	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 09:32
S4	0	10/712902	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 09:35
S5	165978	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:51
S6	11384	S5 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:54
S7	113	S6 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:56
S8	29	S7 and (compar\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 10:57
S9	165978	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S10	11384	S9 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S11	113	S10 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S12	30	S11 and (compar\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 11:00
S13	165978	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:39
S14	11384	S13 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:39

S15	8017	S14 and (compar\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:39
S16	3401	S14 and (compar\$5 with (simulat\$3 emulat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:46
S17	2690	S16 and (test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check43).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:47
S18	1152	S16 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check43) with (circuit device)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:48
S19	436	S18 and (vector\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:50
S20	436	S19 and (@pd<"2003" or @ad<"199506060" or @prad<"19950606" or @rlad<"19950606")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:56
S21	337	S19 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:57
S22	283	S21 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 13:58
S23	283	S21 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 14:00
S25	111	S23 and (under near (test\$3 debug\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/18 14:47
S26	1	("6611728").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/18 17:35
S30	166142	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:01
S31	41397	S30 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:01
S32	7970	S31 and ((table list history database record) with input)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:03
S33	6306	S32 and (compar\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:04

S34	743	S33 and ((creat\$3 generat\$3) with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:05
S35	539	S34 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz\$3 verif\$7 examin\$4 investigat\$3 check\$3) with (circuit device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:05
S36	1607	S32 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:07
S37	253	S35 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:07
S38	191	S37 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:07
S39	108	S38 and (error\$1 fault\$3 defect\$3 fail\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/19 18:08
S40	19053	(table\$1 list\$1 history database) with (input\$1 vector \$1) and compar\$4 with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:16
S41	55	S40 and (compar\$3 with (input\$1 vector) with (list database table history) with updat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:18
S42	12	S41 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:19
S43	7	S42 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:19
S44	49	S41 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:26
S45	24	S44 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:26
S47	13598	(detect\$3 monitor\$3 check\$3 examin\$4 determin\$4 verif\$7 analyz\$3 inspect\$3 investigat\$3 survey\$3 scrutin\$5) with input with (circuit agent device) and (creat\$3 generat\$3 design\$3 produc\$3) with input with (table list database history record)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:36

S48	2028	S47 and (expect\$5 with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:38
S49	1149	S48 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:39
S50	166142	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:39
S51	275	S49 and S50	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:39
S52	226	S51 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:40
S53	201	S52 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:41
S54	120	S53 and (vector with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:41
S56	119	S54 and (error fault\$3 defect \$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:42
S57	117	S56 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check\$3) with (circuit device agent))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:43
S58	90	S57 and (compar\$4 match\$3 equal\$3) with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:44
S59	46	S58 and ((simulat\$3 emulat\$3 debug\$4) with (device circuit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 10:48
S60	4115	(creat\$3 generat\$3 produc\$3) with netlist\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:07
S61	44	S60 and ((updat\$3 add\$3) with netlist with (compar\$4 match found))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:07
S62	35	S61 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:11
S63	16	S62 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:12
S64	4	S60 and ((error fault\$3 defect \$3 fail\$4) with (truth\$1 near1 table))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:24

S65	3	S64 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 11:25
S66	41397	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls. and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 12:45
S67	1	("5,051938").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/20 12:46
S68	760	S66 and (truth\$1 near1 table)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 12:48
S69	4	S66 and (compar\$5 with (truth\$1 near1 table) with (error fault\$3 defect\$3 fail \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/05/20 12:48
S70	1	("7,461213").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/05/20 18:27
S71	1	("6970978").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
S72	2	11/727451	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S73	1	11/437343	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S74	1	10/712902	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S75	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S76	12165	S75 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S77	121	S76 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S78	30	S77 and (compar\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S79	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

S80	12165	S79 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S81	121	S80 and (transaction near (record list table database history))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S82	31	S81 and (compar\$4).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S83	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S84	12165	S83 and (simulat\$3 emulat\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S85	8560	S84 and (compar\$5)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S86	3617	S84 and (compar\$5 with (simulat\$3 emulat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S87	2858	S86 and (test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check43).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S88	1206	S86 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check43) with (circuit device)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S89	451	S88 and (vector\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S90	451	S89 and (@pd<"2003" or @ad<"19950606" or @prad<"19950606" or @rlad<"19950606")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S91	340	S89 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S92	286	S91 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S93	286	S91 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S94	114	S93 and (under near (test\$3 debug\$4))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

S95	1	("6611728").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
S96	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S97	43855	S96 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S98	8441	S97 and ((table list history database record) with input)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S99	6687	S98 and (compar\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S100	792	S99 and ((creat\$3 generat\$3) with expect\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S101	572	S100 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check43) with (circuit device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S102	1692	S98 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S103	263	S101 and (compar\$4 with (error\$1 fault\$3 defect\$3 fail \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S104	195	S103 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S105	110	S104 and (error\$1 fault\$3 defect\$3 fail\$3).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S106	20060	(table\$1 list\$1 history database) with (input\$1 vector \$1) and compar\$4 with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S107	57	S106 and (compar\$3 with (input\$1 vector) with (list database table history) with updat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S108	12	S107 and (simulat\$3 emulat \$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S109	7	S108 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

S110	50	S107 and (memor\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S111	24	S110 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S112	14513	(detect\$3 monitor\$3 check\$3 examin\$4 determin\$4 verif\$7 analyz\$3 inspect\$3 investigat \$3 survey\$3 scrutin\$5) with input with (circuit agent device) and (creat\$3 generat \$3 design\$3 produc\$3) with input with (table list database history record)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S113	2155	S112 and (expect\$5 with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S114	1207	S113 and (simulat\$3 emulat \$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S115	175156	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S116	287	S114 and S115	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S117	229	S116 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S118	204	S117 and (memory)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S119	121	S118 and (vector with (table list database history record result output))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S120	120	S119 and (error fault\$3 defect \$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S121	118	S120 and ((test\$3 debug\$4 diagno\$4 determin\$4 analyz \$3 verif\$7 examin\$4 investigat \$3 check\$3) with (circuit device agent))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S122	91	S121 and (compar\$4 match\$3 equal\$3) with (error fault\$3 defect\$3 fail\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S123	47	S122 and ((simulat\$3 emulat \$3 debug\$4) with (device circuit))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58

S124	4392	(creat\$3 generat\$3 produc\$3) with netlist\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S125	49	S124 and ((updat\$3 add\$3) with netlist with (compar\$4 match found))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S126	38	S125 and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S127	16	S126 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S128	4	S124 and ((error fault\$3 defect\$3 fail\$4) with (truth\$1 near1 table))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S129	3	S128 and (@pd<"20031112" or @ad<"20031112" or @prad<"20031112" or @rlad<"20031112")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S130	43855	("714"/\$ "702"/\$ "703"/\$ "711"/\$).ccls. and (simulat\$3 emulat\$3 debug\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S131	1	("5,051938").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58
S132	780	S130 and (truth\$1 near1 table)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S133	4	S130 and (compar\$5 with (truth\$1 near1 table) with (error fault\$3 defect\$3 fail\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/11/23 13:58
S134	1	("7,461213").PN.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2009/11/23 13:58

6/ 29/ 2010 12:20:56 PM

C:\ Documents and Settings\ gmerant\ My Documents\ EAST\ Workspaces\ 10_712_902_2.wsp